

FIG. 1


[illegible]

FIG. 2

```

graph TD
    A[CLIENT SENDS HTTP REQUEST TO SERVER] --> B[SERVER COLLECTS REQUESTED INFORMATION AND FORMS STATE OBJECT 16]
    B --> C[SERVER ENCRYPTS STATE OBJECT USING PRIVATE KEY]
    C --> D[SERVER SENDS REQUESTED INFORMATION AND ENCRYPTED STATE OBJECT TO CLIENT]
    D --> E[STATE OBJECT STORED IN CLIENT MEMORY, MAY BE DECRYPTED USING PUBLIC KEY]
    E --> F{FURTHER CLIENT REQUEST?}
    F -- YES --> G[CLIENT SENDS FURTHER REQUEST TO SERVER WITH ENCRYPTED STATE OBJECT]
    F -- NO --> H([TERMINATE])
    G --> I[SERVER DECRYPTS STATE OBJECT WITH PUBLIC KEY]
    I --> J{STATE OBJECT MODIFIED?}
    J -- YES --> K([TERMINATE])
    J -- NO --> L[SERVER COLLECTS REQUESTED INFORMATION AND UPDATES STATE OBJECT IF NECESSARY]
    L --> C

```

FIG. 3

FIG. 3